

Date: Monday, 12/01/2009 8:59:16 AM  
 User: Julie Dawson

## Process Sheet

<b>Customer</b> : CU-DAR001 Dart Helicopters Services	<b>Drawing Name</b> : 212 X-TUBE ,LOW STANDARD AFT
<b>Job Number</b> : 44592	
<b>Estimate Number</b> : 13223	
<b>P.O. Number</b> :	<b>Part Number</b> : D212664207TRN
<b>This Issue</b> : 12/01/2009 <b>S.O. No.</b> :	<b>Drawing Number</b> : D212-664-247 REV A
<b>Prsht Rev.</b> : NC	<b>Project Number</b> : N/A
<b>First Issue</b> : / / <b>Type</b> : CROSSTUBES	<b>Drawing Revision</b> : A
<b>Previous Run</b> : 43331	<b>Material</b> :
<b>Written By</b> :	<b>Due Date</b> : 19/01/2009 <b>Qty:</b> 1 <b>Um:</b> Each
<b>Checked &amp; Approved By</b> : <u>Julie Dawson</u>	
<b>Comment</b> : Est Rev:A New Issue 08-03-06 DD verified by:ec Est Rev B 08.04.02 Removed polish EC verified DD	

## Additional Product

Job Number:



<b>Seq. #:</b>	<b>Machine Or Operation:</b>	<b>Description :</b>
----------------	------------------------------	----------------------

1.0	D6008132	Crosstube extrusion
-----	----------	---------------------



**Comment:** Qty.: 1.0000 Each(s)/Unit Total : <1:0000 Each(s)

Pick:

Qty Part number Description Batch

1 D6008-132 Crosstube B32920

Check OD = 3.250"; ID = 2.375"

Q.M 09.01.130

2.0	MORI SEIKI	MORI SEIKI CNC LATHE LARGE
-----	------------	----------------------------

**Comment:** MORISEIKI

1-Fill tube with sand &amp; install plugs DT8534 on both ends as per Folio FA706

2-Turn first side as per Folio FA706

3- File transition lines smooth.

Q.M 09.01.131

3.0	QC1	INSPECT ALL DIM TO DIM SHEET
-----	-----	------------------------------

**Comment:** INSPECT ALL DIM TO DIM SHEET

Q.M 09.01.132

4.0	MORI SEIKI	MORI SEIKI CNC LATHE LARGE
-----	------------	----------------------------

**Comment:** MORI SEIKI CNC LATHE LARGE

1-Turn second side as per Folio FA706

2- File transition lines smooth.

3-Remove sand and plugs

Q.M 09.01.133

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries

Date: Monday, 12/01/2009 8:59:16 AM  
User: Julie Dawson

## Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: 212 X-TUBE, LOW STANDARD AFT

Job Number: 44592

Part Number: D212664207TRN

Job Number:



Seq. #:

Machine Or Operation:

Description :

5.0

QC1

INSPECT ALL DIM TO DIM SHEET



Comment: INSPECT ALL DIM TO DIM SHEET

a.m

09.01.13

6.0

QC8

SECOND CHECK



Comment: SECOND CHECK

S 09/01/14

7.0

HAND FINISHING1

HAND FINISHING RESOURCE #1



Comment: HAND FINISHING RESOURCE #1

Chemical Conversion Coat as per QSI 005 4.1

09.01.14

8.0

QC3

INSPECT POWDER COAT/CHEMICAL CONVERSION



Comment: INSPECT POWDER COAT/CHEMICAL CONVERSION

DP 9-1-16

9.0

PACKAGING 1

PACKAGING RESOURCE #1



Comment: HAND FINISHING RESOURCE #1

Identify and stock in kanban rack

Location: X tubes

DP 9-1-16

10.0

QC21

FINAL INSPECTION/W/O RELEASE



Comment: FINAL INSPECTION/W/O RELEASE

09/01/14

Job Completion



mf 09-01-17

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries

<b>DART AEROSPACE LTD</b>		<b>Work Order:</b> 44592
<b>Description:</b> Crosstube Assembly (205/212 Low Aft)		<b>Part Number:</b> D212-664-247
<b>Inspection Dwg:</b> D212-664-247 Rev: A		<b>Page 1 of 1</b>

### FIRST ARTICLE INSPECTION CHECKLIST

☒ First Article
 ☐ Prototype

Inspection Sheet	Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
SIDE A	0.438	+/-0.010	0.438	✓			
	2.680	+0.005/-0.000	2.685	✓			
	2.680	+0.005/-0.000	2.685	✓			
	2.687	+0.005/-0.000	2.692	✓			
	2.802	+0.005/-0.000	2.807	✓			
	2.906	+0.005/-0.000	2.911	✓			
	3.009	+0.005/-0.000	3.014	✓			
	3.112	+0.005/-0.000	3.117	✓			
	3.250	+0.005/-0.000	3.250	✓			
SIDE B	0.438	+/-0.010	0.438	✓			
	2.680	+0.005/-0.000	2.685	✓			
	2.680	+0.005/-0.000	2.685	✓			
	2.687	+0.005/-0.000	2.692	✓			
	2.802	+0.005/-0.000	2.807	✓			
	2.906	+0.005/-0.000	2.911	✓			
	3.009	+0.005/-0.000	3.014	✓			
	3.112	+0.005/-0.000	3.117	✓			
	3.250	+0.005/-0.000	3.250	✓			
	128.27	+/-0.030	128.300				

<b>Measured by:</b> A.M.	<b>Audited by:</b> S	<b>Prototype Approval:</b>	N/A
<b>Date:</b> 09.01.13	<b>Date:</b> 07/01/14	<b>Date:</b>	N/A

Rev	Date	Change	Revised by	Approved
A	08.11.07	New Issue (P/O D212-664-207)	KJ/EC	

**PARTS LIST:**

Qty	Part Number	Description
X	E212-664-247	CROSSTUBE ASSEMBLY (205/212 LOW AFT)
1	D6008-132	CROSSTUBE
2	D2940-1	SUPPORT
4	D3595-063-530	RUBBER CUSHION
2	D3660-1	CUFF
4	MS21920-28	CLAMP (OR MS21920-30)
44	CR3212-4-06	RIVET (OR M7885/3-4-06)
A/R	MAGNOBOND 6398	ROCKWELL SPECIFICATION RBO-120-023 ADHESIVE (TEXTRON/BELL SPEC. 299-947-100, TYPE II, CLASS 2 ADHESIVE)
A/R	SIKAFLEX-241/-291	SEALANT (OR PROSEAL 890 OR MIL-S-8802 CLASS B2 SEALANT)




**GENERAL NOTES:**

- 1) MATERIAL: MANUFACTURED FROM D6008-132  
FINISHED LENGTH = 128.27±0.020 (BEFORE BENDING/TRIMMING)
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1  
PRIME INSIDE AND OUTSIDE PER DART QSI 005 4.2  
PAINT OUTSIDE PER DART 005 4.2
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED.
- 4) ALL DIMENSIONS ARE IN INCHES
- 5) PART IS SYMMETRIC ABOUT CENTERLINE.
- 6) WHEN MACHINING TAPER, RUN-OFF PART AT STOCK. BLEND OUT EDGE LONGITUDINALLY.  
TRANSITION SHOULD BE SMOOTH.
- 7) BEND PROGRESSIVELY WITH A MINIMUM OF 8 PASSES. MAXIMUM TUBE FLATTENING DUE  
TO BENDING IS 6% BASED ON O.D., EXCEPT UP TO 10% IS ALLOWED IN AREA NOTED.
- 8) LIQUID PENETRANT INSPECT OUTSIDE SURFACE OF CROSSTUBE PER QSI 038.
- 9) SCRIBE DART PART NUMBER AND BATCH NUMBER ON INNER SURFACE OF TUBE WITH A  
VIBRATING STYLUS.
- 10) EXTREME CARE MUST BE TAKEN TO PROTECT THE OUTSIDE SURFACE OF THE TUBE. THE  
OUTSIDE SURFACE MUST BE SMOOTH AND FREE FROM SURFACE DEFECTS SUCH AS  
SCRATCHES, NICKS, OR DENTS. DEFECTS UP TO 0.005" MAY BE BLENDED OUT  
LONGITUDINALLY. CIRCUMFERENTIAL GRIND MARKS ARE UNACCEPTABLE.
- 11) APPLY A 0.03" TO 0.06" THICK LAYER OF MAGNOBOND 6398 TO THE SURFACE OF D2940-1  
THAT WILL BE IN CONTACT WITH THE CROSSTUBE. LET CURE FOR 12 HOURS AFTER  
INSTALLATION AND PRIOR TO PACKAGING.
- 12) INSTALL MS21920-28 CLAMPS (OR -30) WITH D3595-063-530 RUBBER CUSHIONS TO SECURE  
D2940-1 SUPPORT ON TOP SIDE OF THE CROSSTUBE. ENSURE CLAMPS ARE OPPOSITE  
CROSSTUBE SUPPORT.
- 13) TORQUE CLAMPS 80 TO 100 IN.-LB. ENSURE AT LEAST 1.5 THREADS SHOWING IN SAFETY  
AND THAT NUT HAS NOT BOTTOMED-OUT AFTER TORQUING.
- 14) INSTALL D3660-1 CUFF AFTER CHEMICAL CONVERSION COAT BUT BEFORE PAINT, WITH A  
LAYER OF SIKAFLEX-241/-291 OR PROSEAL 890 OR MIL-S-8802 CLASS B2 SEALANT BETWEEN  
CUFF AND CROSSTUBE. SEAL EDGE OF CUFF TO ENSURE NO GAPS.
- 15) TOUCH-UP HOLES WITH CHEMICAL CONVERSION COAT.

RELEASED  
01914 #

SHOP COPY  
RETURN TO  
ENGINEERING  
UNCONTROLLED COPY  
SUBJECT TO AMENDMENT  
WITHOUT NOTICE  
WORK ORDER  
NO 125928


A		07.07.07	NEW ISSUE
DESIGN	gp	DRAWN BY	gp
COPYRIGHT © 2007 BY DART AEROSPACE LTD.		DART AEROSPACE LTD. WILLOWDALE, ONTARIO, CANADA	
CHECKED	pt	APPROVED	H
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.		DRAWING NO.	REV. A
DATE	07.07.07	D212-664-247	SHEET 1 OF 3
		TITLE	SCALE
		CROSSTUBE (205/212 LOW AFT)	NTS



**RELEASED**  
07 09 24

COPYRIGHT © 2007 BY DART AEROSPACE LTD.		DESIGN	DRAWN BY	<b>DART</b> DART AEROSPACE LTD. MARKHAM, ONTARIO, CANADA	
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.		CHECKED R4	APPROVED H	DRAWING NO. D212-664-247	REV. A SHEET 2 OF 3
DATE 07.07.07		TITLE CROSSTUBE (205/212 LOW AFT)			SCALE 1:8

NO. 4285  
WORK ORDER  
UNCONTROLLED COPY  
SUBJECT TO AMENDMENT  
NOTICE  
45° (TYP)  
COPY  
RETURN TO  
ISSUING  
OFFICE



# D212-664-247 MACHINING DETAIL

RELEASED

NO. 46512

WORK ORDER

SUBJECT TO AMENDMENT

WITHOUT NOTICE

UNCONTROLLED COPY

ENGINEERING

RETURN TO:

SHOP COPY

COPYRIGHT © 2007 BY DART AEROSPACE LTD.		DESIGN	DRAWN BY	<b>DART</b>	DART AEROSPACE LTD. HAWKESBURY, ONTARIO, CANADA
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.		CHECKED	APPROVED		
DATE		07.07.07		DRAWING NO.	REV. A
				D212-664-247	SHEET 3 OF 3
				TITLE	SCALE
				CROSSTUBE (205/212 LOW AFT)	1:4